

Fig. 1



2/38




Fig. 2a



3/38




Fig. 2b




Fig. 3



5/38




Fig. 4



09/696,605

6/38





Fig. 5



7/38

09/696,605




Fig. 6

8/38




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17

19/38




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22

24/38




Fig. 23




Fig. 24

26/
38



FIGURE 25a



09/296, 605

27/
38



FIGURE 25b



09/696,605

28/
38




FIGURE 25c

29
/38





FIGURE 26a

30/38





FIGURE 26b

31/38






FIGURE 26c

32/
38**FIGURE 27**

Plates coated with MA in PBS




FIGURE 29A

Plates coated with MA in PBS




FIGURE 29B

Uncoated plates




FIGURE 29C

Uncoated plates




FIGURE 29D




Fig. 30




Fig. 32a




Fig. 32b

36/38





Fig. 31



09/696,605

Uncoated plates

~~Patients response to polyclonal~~



Uncoated Plates

~~Patients response to polyclonal~~





Fig. 29

Plates coated with MA in PBS

~~Patients response to MA~~



Plates coated with MA in PBS

~~Patients response against MA~~

